| | Me | edSurg | Dermatopath Pathology In affiliation v OGE HISTOLO Ivd, Tigard, OR 972 | Associate | es, Inc. Patnology CES, LLC Report | |
|---|--|--------------------|--|---|---|--|
| Patier | t Name | | Birth Date | Sex | Report to: Name, Address, Fax | |
| Frank | | | M | Paul Klas, M.D. | | |
| Path/Report Nu | | Ropant D | ate Regve Date | Cellect Dete | Willamette Dermatology | |
| T05-300 | Contractory of the local division of the loc | 06/17/0 | and the second design of the s | 06/15/05 | 19875 SW 65th Ave, Suite 260 | |
| | eft che | | | | Tualatin, OR 97062 | |
| | | | ant Carting al and | 1 | la in a simila secontia | |
| Gross: 7 Microscopic: | x3x3mn | u skin segn | icut. Sectioned and | submitted entire | elv in a single cassette. | |
| | | | | State State State | | |
| confluently | as single associate | e melanocyte | es and as nests. There | are small dermal | mented junctional melanocytes, arranged melanocytes, with pale-gray-staining arrow) are identified in the dermis. Ulceration | |
| confluently cytoplasm, is not ident Diagnosis: SKIN, I MELAN THE PI | as single associate iffied. LEFT C NOMA CRIPH ENT: | CHEEK, , AT LEA | BIOPSY: AST 0.75MM IN ISSUE MARGE | are small dermal l mitotic figures (THICKNES N. | melanocytes, with pale-gray-staining | |
| confluently cytoplasm, is not ident Diagnosis: SKIN, I MELAN THE PI | as single associate iffied. LEFT C NOMA CRIPH ENT: | CHEEK, , AT LEA | es and as nests. There mophages. Occasiona BIOPSY: AST 0.75MM IN ISSUE MARGE crostaging shou | are small dermal l mitotic figures (THICKNES N. Id await com | melanocytes, with pale-gray-staining arrow) are identified in the dermis. Ulcerati SS, BROADLY EXTENDING T plete excision. Ulceration is not | |