

Bio

Energy

Field

Enhancement...B.E.F.E.



Q2 Hydrotherapy Water Spa

Q The Experience Hydrotherapy Water Spa
© Pacific Northwest Foundation 2004

We wish to thank Robert Shane without whose contribution this review and analysis would not have been possible.

DISCLAIMER

For legal and safety purposes, we must stress the following: The information presented here is for educational purposes only. No claims are made to treat, cure, heal, or diagnose any diseases. If you have a major health issue, it is strongly recommended you see a qualified health care provider for approval. If you are taking prescription drugs, experimenting with the technology may require modification of dosage; in this case, it is strongly recommended you see your health care provider.

In general, medical technology of any kind does not directly heal; it only assists the body's own natural healing ability. The criterion for effectiveness should be measured in relation to speed and safety (i.e., side effects).

- Review & Analysis
 - Introduction
 - Contraindications
 - Cautions
 - Practical Experience
 - Conclusions
 - References
- Appendix A: Comparative Analysis Between the Q2 Energy System and Copies
 - How This Relates to Copies of the Q2 Water Energy System
 - Possible Changes to the Array
 - Colored Acrylic
 - Wider and Thicker Positive Tracks
 - Wider and Thicker Negative Tracks
 - Other Housing Material Changes, e.g., Addition of Nylon
 - Changes in the Dimensions and Ratios of the Rings, e.g., Thicker Plates
Thicker Copper Ring
 - Power Supply Variations and Differing Fields
 - Off the Shelf Transformers
 - Adjustable Voltage Control
 - Methodology of Construction and Choice of Electrical Components
 - Other Widely Divergent Attempts at Q Technology
 - Technology that Proposed Creation of Ions
 - Positive and Negative Ion Production
 - Why do People Seem to Have Benefits from these Products?
- Appendix B: Detoxification
 - Detoxification of the Body
 - The Basic Cell

- The Plasma Membrane
- Toxification by Natural Waste Product
- Lower Liver and Kidney Function
- External Toxin Build Up
- Toxification by Low Level Artificial Toxins
- Toxification Causing Genetic Alteration
- What Bio-Electric Field Enhancement Does to Your Cells
- The Genetic Problem
- The Nucleus
- Electricity and the Immune System
- Appendix C: From Q The Experience LLC mailing January 15, 2004
 - Kirlian images comparisons
 - Chakra comparisons
 - Autistic Boy Comparisons
 - [Alternative Medicine: The Definitive Guide](#) listing
 - Heart Rate Variable device sessions comparisons
 - Live blood analysis comparisons
 - Testimonial about a child's DPT reaction

Introduction

Q the Experience is commonly known as the BEFE or Bio Energy Field Enhancement device. Terry Skrinjar of Q-Tech Laboratories in Australia originally designed it. Terry from a very early age realized that he saw the world in a different way than most other people. He actually saw the holographic energy patterns of objects and the interactions of these energy patterns. This allowed Terry to actually see what substances would enhance the energy fields of people and which ones would detract. Terry began inventing energy devices at a young age and wrote a book on his vision of energy called Field Science. When someone challenged him to build a device that could heal all conditions he thought about it for a few minutes and then sketched the BEFE on a napkin saying this is it. The basic concept Terry had just documented was that of a device which could create a bio-compatible energetic field capable of penetrating to every cell using the unique ability of water to take on the energetic information of its environment and transfer it throughout the medium.

The basic design of the Q2 BEFE is an orb-shaped device containing specially designed plates that produce ions when submerged in a conductive water bath. When activated, a life-enhancing field is created throughout the therapeutic bath. Since the body is 60% or more water this field easily penetrates to every cell of the body providing an energy source to recharge the cells and optimize the cellular membrane potential. When the cells have enough energy and proper membrane polarity they can function optimally and absorb nutrients from the blood and dispose of their normal metabolic toxins. (See Appendix A)

The brilliance of Terry's design is that the equipment does not need to treat any disease. On the contrary, just by providing a compatible energy source, the body's own innate

intelligence can direct this energy for its most important needs at the moment; this might be revitalizing an organ, improving digestion, reducing fatigue, reducing inflammation, improving elimination and detoxification, etc. The Q is essentially a water spa that simulates the energetic qualities of the healing springs found many places in the world such as Lourdes.

Contraindications

Do not touch or use other people's water. Because the fields of the body and those of the Q are interacting and communicating the water in the bath is imprinted with all the information of the person including the stress patterns that have been built up over a lifetime. These patterns can have a detrimental effect when coming in contact with a different individual. Therefore:

1. Only one person should be in the bath at any time.
2. Always change the water and clean the orb and tub between people
3. Pregnant ladies cannot use the Q because there are two life forms present.
4. No one with a pacemaker or other electronic life support system should use the Q because the fields that are generated might interfere.
5. Anyone on drugs, especially life support drugs should consult with their physician prior to using the Q.

Note that plants actually like the post session water because they are designed to process the wastes of animals as part of the ecosphere,

Cautions

Be careful of the many knockoffs that have been made trying to copy the effects of the Q. Many of them have some benefits but also create stress in the body due to not being able to see the energetic disturbances caused by changes in materials, shapes, dimensions; etc when trying to sidestep property protection laws. This is especially so when considering that with the Q, the materials and dimensions of the plates are very exacting including a beveled edge on the plates. The components of the power supply, even when meeting very exact specifications, may be rejected if their energy picture is not optimum. Even the circuit boards of the power supplies are designed with a radius on the corners of the etchings instead of a right angle in order to create the correct energetic effect.

Be careful of claims that the color of the water and the gunk floating in the water actually mean something specific. There are too many variables and without exacting lab tests nothing can be said. These colors and floaters can result from just the orb in the water without a person so saying that everything is coming from the body is not accurate. Saying that everything is coming from the body is not accurate. The impurities in the water, the material composition of the plates, the type of conductive material added, and the electrolysis of the plates all contribute to changes in color and floating material in the water.

Be careful of claims that the Q detoxifies the body. In reality the Q provides a biologically compatible energy source to the body. The body then can use the energy in anyway it chooses for the highest need of the moment. If this is detoxing some things might be found in the water but it is more likely that the normal detox channels of the body will do the elimination. Urine and fecal tests have verified that, the kidneys, colon, lungs and skin may be more active for several days after a Q session. It is therefore beneficial to drink extra pure water after a session.

Practical Experience

Case 1: A client with diagnosed Crohn's disease would pass many seed pods in her daily diarrhea. These pods looked like bean sprouts. When sent to the University of Washington Pathology Department and to the Disease Control Center in Atlanta, GA they had no suggestions on what or how or why other than to suggest that she not eat so many seeds. This was not an appropriate response since she never ate seeds. During one of her BEFE sessions several of these seedpods were found in the bath.

Case 2: A client seeing his cardiologist on a monthly basis for high blood pressure and monthly blood workups had very high ferritin levels, suggesting an overabundance of iron in the blood. Adding BEFE sessions every other day for a month reduced his ferritin levels to normal values.

Case 3: A visitor receiving a BEFE demo reported that the odor being released during the session was exactly like the smell of the chemicals she used to work with years earlier at Kodak.

Conclusions

The Q is a very efficient method of providing the body with a biocompatible energy source so the body's innate intelligence can use the energy to reduce stress and normalize function as needed. It is simple and can be used by anyone in his or her own home. It is particularly helpful to health practitioners. When a practitioner performs any protocol whether acupuncture, nutrition, structural techniques, emotional, etc., if the body does not have enough energy to either accept the technique or to maintain the correction then little long term good will be achieved. By providing energy to the body, the Q can enhance the practitioner's effectiveness and optimize the benefits to the client. Please see Appendix B for general descriptions and instructions on use. Appendix C contains some test results and testimonials.

References

Q The Experience LLC, the Australian web site (www.q2.com.au), and [Recharge Your Biological Battery](#) by Dr. Howard Peiper.

APPENDIX A

Comparative Analysis Between the Q2 Water Energy System and Copies From Q The Experience LLC (With minor editing for this presentation)

The understanding of Q The Science is an integral part to understanding the conceptual application that is required to design and build the complete unit known as the Q2 Water Energy System (The Bio Electric Field Enhancement System BEFE). This means understanding the array, the power supply, and all other aspects of manufacture of for this system.

Q The Science is a very exacting methodology where the outcome or end results can vary with any alteration large or minute. If one does not take into account the field science of each component or does not have full knowledge of their fields and their interaction with each other both statically and actively, any change made will without question result in a differing field affects. Lack of knowledge regarding interactions between the components used in manufacturing a similar unit will invariably result in unknown and most definitely unwanted results for the end users of any copied product.

The construction of the Q2 is extremely precise in the materials that need to be used to build the Array, as well as the dimensions, ratios and methodology of construction. The reason for this exactness in every detail and of ratios calculated is crucial to the outcomes or effectiveness of the field produced and the quality of life force enhancement imparted to the water. Any change in any aspect of the construction, or materials used, will degrade or change the field. This is the work of field science, all fields acting in harmony to produce the desired end result.

How This Relates to Copies of the Q2 Water Energy System

One of the most common misconceptions is the color change that is observed in the water post session. This is not completely attributable to the body mass, it is not an indication of the general state of being of the body mass utilizing this therapy. It is not as suggested by copied devices the result of the user "sweating" in the water and detoxifying through the skin although in a small number of cases this may happen in very tiny amounts. It is more the result of the field interaction of the Array particularly the metals used, the impurities in the water and the complex bio-signature of the body mass using the system. Under ideal conditions there will be very little to no color change and negligible degradation of the Array. The resultant affect for the end user would still be the same as for those who have dramatic color changes in their water post session.

The cause for most color changes can be attributed to the additives in most city water supplies, some of these impurities are expelled by the water and hence the majority of discoloration in the water. As an addendum to this water temperature will show a considerable difference in the water color post session, the hotter the water more often

than not the more discolorations will occur. Obviously there are numerous other natural factors that will dictate water color these are just two of those. In regard to the Q2 System, the choice of components and metals used is precise.

Possible changes to the Array

Colored Acrylic

The additive in acrylic to give the color blue for example is a chlorine based compound. This is another chemical or "field" being overlaid into the complex field generated by the system. Q-Tech Laboratories recognizes this additive and avoids it in the construction of its product.

Wider and Thicker Positive Tracks

While it may be perceived that this change gives the advantage of longer life tracks, it does however cause a larger field distortion affect within the Array. Q-Tech knows this and tries to keep the track as narrow as is practical while providing as long a life as possible for the optimum results.

Wider and Thicker Negative Tracks

This is very similar to the positive track scenario explained above and this can be seen in the copper ring wearing more predominantly in that area.

Other Housing Material Changes, e.g., Addition of Nylon

Nylon too has a different chemical composition and thus increases the amount of additives from the original Q2 Array and the resultant field generated. Q-Tech has not done any research into the resultant affects that may arise due to this change in Array construction.

Changes in the Dimensions and Ratios of the Rings, e.g., Thicker Plates Thicker Copper Ring

Q-Tech recognizes and understands the potential uses and affects of alterations to the ratio of the rings, with the very first unit being produced 2' 1/2 times larger than the current model. While this did produce beneficial results, within the course of any research and development project it was proven the best configuration is the present one used by Q-Tech. To alter thickness dramatically, necessarily alters the resultant field generated.

As an example of how this relates to what we are talking about, when you purchase a tuning fork to tune a piano, you ensure it is a perfect "C" not "C flat" so that your piano

plays in tune and not 'close enough is good enough'. If your tuning fork is made of one combination of metals that has differing amounts of particular metals compared to the correct ratios it will not vibrate at the correct pitch it is very close but not perfect. This imperfection does not show up to the untrained ear and is of no consequence to them but when the virtuoso sits at the piano and begins to play they immediately notice the flat note and cannot perform to their best. They know it is not tuned right, as a side note one has to ask the question why piano virtuosos insist on using Steinway pianos to other brands. The Q2 imparts a specific energy frequency, which has taken years of research and testing to constantly improve on with each release, and as technology improves both in the manufacture of metals and electrical components Q-Tech have remained at the forefront of improving the system to give this perfect pitch.

Power Supply Variations and Differing Fields Off-The-Shelf Transformers

In the approximately 7 years Q-Tech has been producing the Q2 System many changes have occurred in the manufacture of transformers, which is a primary component in the power supply. Obviously there are numerous transformers that are close enough and basically do the same job. One important factor that must be remembered is cheaper quality or poorly constructed transformers will overlay what is termed electrical noise into the circuit degrading and changing the resultant field produced by the Array. This obviously in turn reduces the intended effectiveness and can cause unwanted long-term affects.

Adjustable Voltage Control

Due to the unique qualities of water in towns and cities around the world it was found that each different water source created their own unique challenges to overcome. One of the most prevalent was poor water quality or highly conductive water which required the unit to use more energy to produce the desired result. Many options were considered to remedy this situation and virtually all were discounted due to there degrading affect on the field affect generated by the unit. The first way that Q-Tech tackled the problem was efficient but was cumbersome and difficult to use. Q-Tech also looked at the possibility of using a variable switch to regulate the power supplied to the Array. This was immediately discounted, as this type of adjustment would create far too much electrical "noise" within the circuit leading to a degradation of the resultant field.

Methodology of Construction and Choice of Electrical Components

As electrical component technology has changed so has the power supply for the Q2 unit, as one component becomes obsolete or is manufactured by a different process others must be found. For each component used in the power supply hundreds can be found that will do in electrical terms, "the same job". If we refer to the tuning fork example raised earlier, each individual component produces its own unique signal if these signals or vibrational resonances are not in harmony with each other, again the desired result can be

diminished or wrong. It is not as simple as purchasing the cheapest component and using it, you must be aware of the field interactions and join them together to produce the correct harmonics. The controlling factor of field science even extends to the design, layout or placement of components within the power supply to ensure a correct energy flow. Conventional electronics does not recognize or for that matter understand the principles of field science and so does not see it as a consequence to operating effectiveness of electronic equipment.

Another integral part to the power supply manufacture is the choice of connectors and cable that connect the Array to the power supply, as an example the use of audio connection pins compared to proper electrical connectors. While both carry or transfer electrical energy each are constructed from differing materials and with different processes. Audio connectors can again overlay particular noise or interference to the signal supplied to the Array.

One further overriding factor to the power supply manufacture comes down to the materials used to make the outer casing. The very first commercially available power supplies for the original BEFE unit were rudimentary in construction and manufactured with metal casings. While these units produced favorable results it became apparent that the construction and materials used were not producing the best result possible and so many man hours was put into finding better materials and a better designer of the power supply. In the words of the electrical engineer and one of the Directors at Q-Tech "AU I was taught in my years at university did not prepare me for the education process I undertook in the construction of this power supply."

Other Widely Divergent Attempts at Q Technology

Technology That Proposes Creation of Ions

Another variation of the BEFE system has appeared that focuses on the maximum creation of electrolytic precipitation of dissolved solids and additives in the water. This technology has dramatically changed the array configuration, which of course completely alters the desired result. The driving force behind this technology is the misguided traditional electronics thought the goal is to produce the maximum amount of ions in the water.

There are devices that have been created with the sole purpose of astonishing prospective water purification customers into buying a company's product. The sales procedure is to perform the demonstration on their tap water and to show the same demonstration on the treated water. This is so misleading that it has been in fact outlawed in several states.

Positive and Negative Ion Production

In this technology the claim is made that it is possible and desirable to adjust the amount of positive or negative ions in the water. Simply put, this is an electrochemical impossibility. As long as both positive and negative electrodes are in the same body of

water it is basic electrochemistry that there is always a net neutral. That is that for every positive ion created, there is a negative. In their technology, when they claim to alter the amount of positive or negative ions, they are simply changing the polarity on which electrode is positive or negative at a given moment. In this particular product there is a great emphasis on the discolorations in the water and what they imply relative to the person in the water.

The truth is that these colorations are created by the electrochemical reactions from the materials in the electrodes. The unit in question uses a copper winding that terminates with a zinc as one electrode, and a steel tube as the other. When the copper/zinc electrode becomes the positive it will create greens and blues along with black material from the copper and zinc. When the steel is the positive, it will create yellows, orange and browns.

Why Do People Seem to Have Benefits from These Products?

There are factors that come into play when introducing Direct Current to a steel electrode in water. One of these is the changing of the oxidative reduction (ORP) state of the water. While a lower ORP is desirable, it is but a minor factor in the desired outcome of Q Technology. In fact The Q products create an ORP change in the water that is between 10 and 10,000 times more effective than the copies we have tested. The more important aspect of the technology is the patterning of the field to balance, harmonize and elevate the bioenergetics of the individual. Simply put getting some benefits is NOT the same as getting the results precisely designed into Q Technology. It is like comparing painting. You can put a canvas and paint and brush strokes together, but this does NOT make a Rembrandt.

As you can see there is a number of processes that come together to produce the Q2 Water Energy System and in fact there are many, many more that have not been included in this document. If it were not difficult enough to manufacture the Q2 System one extremely important factor that has not previously been mention is constructing the power supply to the exacting and demanding criteria of electrical safety protocols around the world. The Q2 Water Energy Systems power supply has been constructed to meet and in most cases exceed the very strict international safety guidelines for countries around the world.

As a wise man once said: The water at the head of the river is sweeter and purer than that which runs into the sea.

Appendix B
The "Q" – Detoxification
From Q The Experience LLC (With minor editing for this presentation)


Detoxification of the Body

This information is for theoretical information purposes only. It is not meant to be utilized for practical and/or physical purposes. None of the information below should be held as fact.

Our bodies are constantly under attack from environmental factors. Toxins are becoming a big issue of importance as our environment becomes more polluted. Most of us understand that there are pollutants in the air we breathe, the food we eat and the water we drink and the level and types of toxins that now surround us are far too great to list. Some of them occur naturally but most are man-made and it is these toxins that are causing the most concern. The thought of so many heavy metals now showing up in the food is a concern for most everyone however the real threat comes from all the artificial compounds that are being widely used without almost any understanding of the danger they represent to the human body. Of all the substances we are constantly threatened by it is the silent action of synthetic hormones that can cause serious damage to the genetics of the individual without them being aware of what's happening.


There is now a way we can start to combat these problems through awareness and with a little help from technology. The Bio-Electric field Enhancer (BEFE Unit) is the first step. It is technology creating the problem so technology can help control and then start to reverse it.

To understand how the BEFE Unit assists the body to detoxify itself we need to understand a little about how the body functions and in particular how our cells work.



The Basic Cell

While there are many cells in our body that perform different functions and have different internal structures they all have some basic function similarities. All our cells need water to survive and work and they all have 3 basic components (excluding red blood cells that eject their nucleus). These components are the Nucleus, the internal structure and the plasma membrane. Each of these components when combined performs specific functions. Even though they may perform different specific functions they all intake water, metabolize it and eject a waste product called nucleic acid. This waste product is then dealt with by the body's main cleaning systems the liver and the kidneys. This flow through system is very important and when something goes wrong, like the cell becoming clogged with toxins, problems begin to occur.




When the cell is functioning correctly it has a good flow of liquid (water) going through it. The liquid has two ways to enter and leave the cell structure. The outer membrane or plasma membrane is a selectively permeable barrier meaning that it allows some substances to pass while excluding others.

When a substance can penetrate the plasma membrane without any energy input from the cell, it is called passive transport. When the cell must provide metabolic energy the process is called active transport. The movement of water into the cell is an example of passive transport while movement of amino acids and most ions across the membrane is active transport.


The Plasma Membrane

The plasma membrane as well as being selectively permeable has another very important function. It maintains a potential voltage difference between the internal structure of the cell and the intercellular fluid. Scientists are just now starting to realize the importance of the voltage that exists on the membrane itself. Its electrical value plays a part in helping the membrane be selectively permeable. If this voltage drops too low it contributes to loss of cell integrity. What is important here is that it has been scientifically proven that an unhealthy cell has a very poor membrane voltage.



There are a lot of things that can start to go wrong when we exert an outside influence on the cell such as a toxin. Our bodies are more than capable of withstanding low levels of toxins but when these levels rise too high, a chain of events start to take place and the integrity of the cell is compromised. The integrity of the cell can be affected from both the outside or the inside and the toxins that cause the problem do not need to come from an external source because the cell itself produces a waste product that could be considered as a toxin. As we have already said the body has a natural defense mechanism for removing toxins from the system. In the average individual these systems are functioning correctly but under load the system can break down and result in a toxin build up. For most people the threat of toxin build up is not from having the cleaning system not operating correctly but from the type of toxins we are now exposed too. Some toxins do not remain in the intercellular fluid and become attached to the cell membrane, and, if the body is operating below 100% problems can occur.

The numbers of problems that can occur from Toxicification are many and the number of ways that the problems start is also great. There are however a few basic causes that we can address to understand how the body becomes toxic and how we can resolve the problem by helping the body cope using its natural processes.



We are going to examine 3 basic ways the body becomes toxic in relation to the effect it has on the cell:

1. Toxicification by natural waste product, that is build up of nucleic waste from the cell itself.
2. Toxicification by low level artificial toxins - manmade compounds.
3. Toxicification causing genetic alteration - genetically engineered materials.


It should be noted that although these processes are explained individually they can and do all occur simultaneously.

1. Toxicification by natural waste product.

Toxicification by natural waste product is where the body accumulates a build up of the natural waste product from the cell, nucleic waste. This can occur two ways.


1. Liver and Kidney function are low and are not extracting all of the waste out of the intercellular fluid (blood).

2. Toxin build up on the plasma membrane restricting all of the waste product from leaving the interior of the cell. In the diagram below the basic function of the cell is illustrated. It goes like this: W or water enters the cell via passive transport. W then reacts with the Internal structure B and the Nucleus A. The product of the reaction between W, A and B is Nucleic waste C. The cell is very efficient when functioning fully and reacts all the W on a 1:1 basis meaning all of the W is used with an equal amount of C being produced.



Low Liver and Kidney Function.


When liver and kidney function is low the intercellular fluid becomes contaminated with waste product. What happens then is instead of just W entering the cell, the W becomes Wc meaning a combination of W and C. This causes changes in the reaction inside the cell. Now there is a Wc, Ac, Bc reaction which is not how the cell is supposed to work. The cell is no longer operating efficiently and the metabolic energy being used is wasteful.



External Toxin Build Up


External toxin build up is when toxins begin to accumulate on the outside of the cell. One of the causes of this is when the membrane voltage is poor the toxins can stick to the membrane. This deprives the cell of the natural flow of W into it and also restricts the exit of the nucleic waste. Once again cell function is compromised so the cell can no longer function correctly. The process is cyclic, the more the toxins build up the less efficient the cell becomes and the longer this goes on the harder it is to reverse the process. There are two processes the body uses to solve this problem.

1. Receiving from external sources what is required to raise the membrane voltage
2. The white blood cells.



2. Toxification by low level artificial toxins


Toxification by low level artificial toxins is where a toxin has managed to penetrate the cell membrane and enter into the internal structure. Toxins can achieve this in times of low cell integrity. White blood cells play a part in this operation. One of the things white blood cells do is clean the toxins off of the plasma membrane of the cells. White blood cells damage the membrane during the process of removal leaving it temporarily vulnerable. Once a toxin has entered into the internal structure of the cell it causes problems. To eject the toxin the cell requires metabolic energy to perform active transport, that is, the cell needs to use its own energy to eject the invader. If the cell does not have the spare energy to do this a build up can start.



The white blood cells clean the cells in the body. When a white blood cell removes a toxin from the outer surface of the cell it causes some damage. If the cell can not repair in time it is vulnerable and toxins can enter into the cell.

3. Toxicification causing genetic alteration


Toxicification causing genetic alteration is the most serious form of cellular contamination that you may be subjected to. We have already looked at toxins entering a cell and causing problems but what if that toxin was an artificial hormone or carcinogenic substance? The problem now becomes a major issue because if the potential of the toxin is that it can alter the coding of the cell it will do so. When this happens what you end up with is the nucleus and the internal structure incorporating the extra coding resulting in a new nucleus D and a new internal structure E. This is a serious problem and it happens without you even knowing. A lot of the time it takes years before the effect becomes visible to the individual. These types of toxins lead to cancer and genetic disorders. Toxicification of this nature is difficult to correct but not impossible.




Some of the effects of this type of toxin contamination are already becoming evident in the western world where the use of genetic substances and hormones have been in use without public knowledge for some time now. It has become scientific reality that the new genetic pattern is passed on to the siblings from the parents.

What Bio-Electric Field Enhancement does to your Cells

The Bio-Electric Field Enhancer does as the name suggests, it enhances the Bio-Electrics of your cells. As discussed earlier the cells in your body contain an electric charge. This charge is not like the electricity you are familiar with like that is used in your home. The first thing the unit does is to increase the charge on the plasma membrane surrounding the cell. This applies to all cells throughout the body. This also has an effect on the internal structure of the cell as well because the electrical energy being supplied to the cell is compatible with the metabolic energy of the cell. This effectively increases the available metabolic energy the cell can function with. Once this is achieved a number of things start to happen.




By increasing the electrical value of the cell membrane we also increase the value of the electrical field that results from the electrical potential on the cell membrane itself. Boosting and extending this field to the proper parameters effects the toxins that have attached themselves to the cell membrane. It also helps restore integrity to the actual membrane itself so that the function of being selectively permeable is restored to proper operation. Restoring proper cell function increases the body's ability to start to process the toxins properly again. The liver and kidney start to remove more of the toxins reducing the load on the rest of the systems.




Once the toxins are detached from the cell membrane they are once again free to be moved by the intercellular fluid. The body's natural processes with the extra resources take over and remove the toxin through normal systems. This also has the effect of once again letting clean W (intercellular Fluid) flow correctly through the membrane.


With the clean W now flowing through the system the cells can start to re-balance the internal levels of W and C. The clean intercellular fluid begins to restore the action of the nucleus (A) and the internal structure (B). The effect on A and B that is causing the cell to function as A_c and B_c balances so that the $A_c + B_c$ return to the proper AB function. In effect the cell has become cleansed with the added benefit of the extra metabolic energy.



The Cell and the intercellular fluid are now restored to normal function except the metabolic energy now available to the cell is greater.




With the cell in a much healthier state and now having an increased metabolic level of energy it can begin to do its proper function. Toxins that have entered the cell during its poor health can now start to be purged or actively transported from the internal structure. The extra energy now available makes this process possible again. These processes can only be possible because of the energy input to the cell from the Bio-Electric Field enhancement Unit.



The Genetic Problem

Toxification of a cell at the genetic level means that the cell is not longer functioning as it was intended too. The effect that the toxin has had on the cell in this case is that it has caused a coding change to the cell itself. What you end up with is a modified cell that would be different to the original. If the Nucleus and the internal structure were considered as A and B then the modified cell would have a nucleus and internal structure of D and E. Fortunately for us the alteration of the genetic coding in the cell is far more difficult than we are led to believe. To understand how the code can be restored we need to understand what the code is and how it was altered in the first instance.



The human genetic coding is currently called DNA or deoxyribonucleic acid. As the name suggests DNA is a form of nucleic acid. This is currently the theory and the question that should be asked is, is deoxyribonucleic acid really our genetic coding or is it a waste product produced as a result of the coding itself? The fact is deoxyribonucleic acid or DNA is the waste product produced by the cell as a result of the genetic coding of the cell. What scientists have discovered is a crude way of fingerprinting the body's primary excretion fluid. The coding itself until now has remained somewhat of a mystery. Before we go into the genetic coding itself lets summarize the basic DNA theory.

It is believed that DNA is housed within the nucleus of the cell. The following is an extract from Encyclopaedia Britannica describing the nucleus of the cell and its function.

The Nucleus

The nucleus is the information center of the cell in all higher organisms. It is separated from the cytoplasm by the nuclear envelope, and it houses the double-stranded, spiral shaped deoxyribonucleic acid (DNA) molecules, which contain the genetic information necessary for the cell to retain its unique character as it grows and divides.

The presence of a nucleus distinguishes the eukaryotic cells of multicellular organisms from the prokaryotic, one-celled organisms, such as bacteria. In contrast to the higher organisms, bacteria do not have nuclei, so that their DNA is maintained in the same compartment as the other cellular structures.

The primary synthesis function of the nucleus is the expression of selected subsets of the genetic information encoded in the DNA double helix. Each subset of a DNA chain, called a gene, codes for the construction of a specific protein out of a chain of amino acids. Information in DNA is not decoded directly into proteins, however. First it is transcribed, or copied, into a range of messenger ribonucleic acid (mRNA) molecules, each of which encodes the information for one protein (or more than one protein in bacteria). The mRNA molecules are then transported through the nuclear envelope into the cytoplasm, where they are translated, serving as templates for the synthesis of specific proteins.

The nucleus must not only synthesize the mRNA for many thousands of proteins, but must also regulate the amounts synthesized and supplied to the cytoplasm. Furthermore, the amounts of each type of mRNA supplied to the cytoplasm must be regulated differently in each type of cell. In addition to mRNA, the nucleus synthesizes and exports other classes of RNA involved in the mechanisms of protein

So clearly the DNA is supposedly contained within the nucleus. An interesting point at this stage is that DNA samples taken from the body are usually hair, skin or blood, which are processed to attain a DNA fingerprint. While this may not sound unusual, technically it is interesting because if your sample was blood which contains mostly red blood cells and intercellular fluid it would be a strange way to get a DNA sample since red blood cells do not contain a nucleus where the DNA is housed.

Electricity and the Immune System

This information is for theoretical information purposes only. It is not meant to be utilized for practical and/or physical purposes. None of the information below should be held as fact.

The body's dependence on electrical charges has never really been in dispute but scientists are now starting to understand the vital roles it plays in the various systems in the body. The following discovery by a team of scientists in Geneva provides more essential information on the electrical activity in our immune system.

Geneva discovery: white cells produce electricity

A medical team at Geneva's University Hospital has discovered that white blood cells can produce electricity - which will help research understand better how the human body fights microbes.

Until Dr. Jacques Schrenzel, Dr. Karl-Heinz Krause and their colleagues at the hospital's infectious diseases division unraveled the mystery, it was not known how the cells generate the toxic oxygen radical superoxide which is the body's lethal weapon against invading bacteria and fungi.


In Nature, the Geneva team reported it had identified an enzyme (NADPH oxidase) which generates electron currents through cellular membranes. The currents, identical to those, which light an electric bulb, but ten billion times smaller, convert oxygen to the microbe-killing superoxide.

This discovery made by the Geneva medical team helps to explain why the BEFE unit aids healing and has the potential to eliminate bacteria and fungi infections. Because the BEFE unit increases the potential voltage in the cell membrane the potential of the immune system can be substantially enhanced. This effect produced by the BEFE Unit also aids in prevention by maintaining the effectiveness of the cellular function.


APPENDIX C

NAME: .<hugo>
Year of birth: 1968


02:07:2002 19:07




1L_SP_2Jul2002_1751 02:07:2002 17:51




2L_SP_2Jul2002_1751 02:07:2002 17:51





3L_SP_2Jul2002_1751 02:07:2002 17:51




4L_SP_2Jul2002_1751 02:07:2002 17:51




5L_SP_2Jul2002_1751 02:07:2002 17:51




1R_SP_2Jul2002_1751 02:07:2002 17:51




2R_SP_2Jul2002_1751 02:07:2002 17:51



3R_SP_2Jul2002_1751 02:07:2002 17:51




4R_SP_2Jul2002_1751 02:07:2002 17:51




5R_SP_2Jul2002_1751 02:07:2002 17:51

NAME: .<hugo>
Year of birth: 1968


02:07:2002 19:06




1L_SP_2Jul2002_1859 02:07:2002 18:59




1R_SP_2Jul2002_1859 02:07:2002 18:59




2L_SP_2Jul2002_1859 02:07:2002 18:59




2R_SP_2Jul2002_1859 02:07:2002 18:59




3L_SP_2Jul2002_1859 02:07:2002 18:59




3R_SP_2Jul2002_1859 02:07:2002 18:59




4L_SP_2Jul2002_1859 02:07:2002 18:59




4R_SP_2Jul2002_1859 02:07:2002 18:59



5L_SP_2Jul2002_1859 02:07:2002 18:59




5R_SP_2Jul2002_1859 02:07:2002 18:59



NAME: .<hugo>
 Year of birth: 1970

02:07:2002 19:12



● hugo before ● hugo after

NAME: .<hugo>
 Year of birth: 1968



Clear Noise 30 Level Background 223

Normalized Area

02:07:2002 19:04

Left

Right



- Endocrine system
- 1 System
 - 2 Pineal Gland
 - 3 Pituitary Gland
 - 4 Hypothalamus
 - 5 Thyroid Gland

- Spine
- 1 Cervical
 - 2 Dorsal
 - 3 Lumbar
 - 4 Sacral

- Left Colons
- 1 Transverse
 - 2 Descending
 - 3 Sigmoid
 - 4 Rectum
 - 5 Ileum

- Right Colons
- 1 Transverse
 - 2 Ascending
 - 3 Appendix
 - 4 Caecum
 - 5 Duodenum

● hugo after ● hugo before

Clinic	Bio Health Assessments	Phone	982-7036
		Fax	982-0371
Address	3874 West 3500 South	Email Address	
		Internet Address	
City	WVC		
State or Province	UT		
Zip or Postal Code	84120		
Country	USA		

Confidential Client Information

Client Number	00248	Visit Number	1
Name	Abrams, Howard	Date and Time	4/7/2000 11:47:14 AM
		User Name	SYSDBA

Base Readings

Point ID	Meridian	Max	Min	Rise	Fall	Drop	
LY-1-1R	Lymphatics	46	44	21	3	2	
LY-1-2*R	Lymphatics	37	36	23	0	1	
LY-2R	Lymphatics	34	34	21	0	0	
LY-3R	Lymphatics	41	41	39	0	0	
CV-1*R	Conception Vessel	45	45	27	0	0	
LU-10c*R	Lungs	61	61	19	0	0	
LI-1b*R	Large Intestine	33	33	33	0	0	
NE-1b*R	Nervous System	33	33	21	0	0	
CI-8d*R	Circulation	33	33	21	0	0	
AL-1R	Allergies	30	30	27	0	0	
AL-1b*R	Allergies	33	33	31	0	0	
OR-1b*R	Cellular Metabolism	36	35	19	0	1	
TW-1R	Endocrine System	33	32	25	0	1	
TW-1b*R	Endocrine System	35	34	29	0	1	
TW-2R	Endocrine System	33	32	21	0	1	
TW-3R	Endocrine System	35	35	21	0	0	
HE-8c*R	Heart	33	33	18	0	0	
SI-1b*R	Small Intestine	30	30	33	0	0	
SI-3*R	Small Intestine	31	31	19	0	0	
PA-1a*R	Pancreas	24	24	20	0	0	
LV-1a*R	Liver	40	38	20	2	2	
KI-1-3*R	Kidneys	39	39	20	0	0	
UB-65R	Urinary Bladder	32	32	18	0	0	
FI-1b*R	Connective Tissues	31	31	20	0	0	
JO-1b*R	Joints						
ST-44b*R	Stomach						
SK-1-3*R	Skin						
FA-1b*R	Fatty Tissues						

Weakened

Balanced






Stressed


Clinic	Bio Health Assessments	Phone	982-7036
		Fax	982-0371
Address	3874 West 3500 South	Email Address	
		Internet Address	
City	WVC		
State or Province	UT		
Zip or Postal Code	84120		
Country	USA		

Confidential Client Information

Client Number	00248	Visit Number	1
Name	Abrams, Howard	Date and Time	4/7/2000 11:47:14 AM
		User Name	SYSDBA

Post Readings

Point ID	Meridian	Max	Min	Rise	Fall	Drop	
LY-1-1R	Lymphatics	38	38	25	0	0	
LY-1-2*R	Lymphatics	40	40	24	0	0	
LY-2R	Lymphatics	48	47	36	0	1	
LY-3R	Lymphatics	43	42	24	0	1	
CV-1*R	Conception Vessel	53	53	19	0	0	
LU-10c*R	Lungs	41	41	22	0	0	
LI-1b*R	Large Intestine	47	47	26	0	0	
NE-1b*R	Nervous System	43	42	20	0	1	
CI-8d*R	Circulation	39	38	21	0	1	
AL-1R	Allergies	40	39	25	0	1	
AL-1b*R	Allergies	47	47	33	0	0	
OR-1b*R	Cellular Metabolism	47	46	27	0	1	
TW-1R	Endocrine System	35	35	15	0	0	
TW-1b*R	Endocrine System	46	44	24	2	2	
TW-2R	Endocrine System	51	51	13	0	0	
TW-3R	Endocrine System	40	40	24	0	0	
HE-8c*R	Heart	41	40	24	0	1	
SI-1b*R	Small Intestine	47	47	23	0	0	
SI-3*R	Small Intestine	35	35	26	0	0	
PA-1a*R	Pancreas	47	46	22	0	1	
LV-1a*R	Liver	48	48	29	0	0	
KI-1-3*R	Kidneys	49	49	20	0	0	
UB-65R	Urinary Bladder	42	40	25	3	2	
FI-1b*R	Connective Tissues	49	48	19	0	1	
JO-1b*R	Joints	49	48	16	0	1	
ST-44b*R	Stomach	49	47	29	2	2	
SK-1-3*R	Skin	43	42	18	0	1	
FA-1b*R	Fatty Tissues	45	45	22	0	0	




Clinic	Bio Health Assessments	Phone	982-7036
		Fax	982-0371
Address	3874 West 3500 South	Email Address	
		Internet Address	
City	WVC		
State or Province	UT		
Zip or Postal Code	84120		
Country	USA		

Confidential Client Information

Client Number	00244	Visit Number	1
Name	Voss, Neil	Date and Time	4/6/2000 10:33:05 AM
		User Name	SYSDBA

Base Readings

Point ID	Meridian	Max	Min	Rise	Fall	Drop	
LY-1R	Lymphatics	63	62	29	0	1	
LY-1-1R	Lymphatics	44	42	19	3	2	
LY-2R	Lymphatics	59	59	30	0	0	
LY-3R	Lymphatics	50	50	18	0	0	
CV-1*R	Conception Vessel	74	74	24	0	0	
LU-10c*R	Lungs	50	48	28	4	2	
LI-1b*R	Large Intestine	43	42	26	0	1	
NE-1b*R	Nervous System	56	56	24	0	0	
CI-8d*R	Circulation	43	42	23	0	1	
AL-1R	Allergies	52	51	29	0	1	
AL-1b*R	Allergies	59	59	22	0	0	
OR-1b*R	Cellular Metabolism	42	42	27	0	0	
TW-1R	Endocrine System	58	58	25	0	0	
TW-1b*R	Endocrine System	67	67	29	0	0	
TW-2R	Endocrine System	53	53	27	0	0	
TW-3R	Endocrine System	68	68	22	0	0	
HE-8c*R	Heart	58	58	28	0	0	
SI-1b*R	Small Intestine	58	58	27	0	0	
SI-3*R	Small Intestine	59	59	24	0	0	
LV-1a*R	Liver	71	71	26	0	0	
PA-1a*R	Pancreas	65	64	22	0	1	
KI-1-3*R	Kidneys	62	62	24	0	0	
GB-43b*R	Gallbladder	61	61	24	0	0	
SP-1a*L	Spleen	60	60	17	0	0	
LV-1a*L	Liver	63	63	25	0	0	
GB-43b*L	Gallbladder	56	56	21	0	0	
KI-1-3*L	Kidneys	62	62	29	0	0	
ST-44b*R	Stomach	66	66	21	0	0	
ST-44b*L	Stomach						
LY-1-2*R	Lymphatics						
UB-66b*R	Urinary Bladder						



Clinic	Bio Health Assessments	Phone	982-7036
		Fax	982-0371
Address	3874 West 3500 South	Email Address	
		Internet Address	
City	WVC		
State or Province	UT		
Zip or Postal Code	84120		
Country	USA		

Confidential Client Information

Client Number	00244	Visit Number	1
Name	Voss, Neil	Date and Time	4/6/2000 10:33:05 AM
		User Name	SYSDBA

Post Readings

Point ID	Meridian	Max	Min	Rise	Fall	Drop	
LY-1R	Lymphatics	59	59	26	0	0	
LY-1-1R	Lymphatics	52	51	19	0	1	
LY-2R	Lymphatics	58	58	23	0	0	
LY-3R	Lymphatics	58	58	20	0	0	
CV-1*R	Conception Vessel	62	62	21	0	0	
LU-10c*R	Lungs	50	49	40	0	1	
LI-1b*R	Large Intestine	51	50	20	0	1	
NE-1b*R	Nervous System	44	44	32	0	0	
CI-8d*R	Circulation	50	50	18	0	0	
AL-1R	Allergies	47	45	23	3	2	
AL-1b*R	Allergies	43	43	22	0	0	
OR-1b*R	Cellular Metabolism	52	51	15	0	1	
TW-1R	Endocrine System	49	48	21	0	1	
TW-1b*R	Endocrine System	49	48	31	0	1	
TW-2R	Endocrine System	54	54	20	0	0	
TW-3R	Endocrine System	58	58	19	0	0	
HE-8c*R	Heart	49	49	33	0	0	
SI-1b*R	Small Intestine	51	51	31	0	0	
SI-3*R	Small Intestine	49	49	34	0	0	
LV-1a*R	Liver	49	49	20	0	0	
PA-1a*R	Pancreas	47	47	26	0	0	
KI-1-3*R	Kidneys	53	52	26	0	1	
GB-43b*R	Gallbladder						
SP-1a*L	Spleen	50	49	23	0	1	
LV-1a*L	Liver	49	49	31	0	0	
GB-43b*L	Gallbladder						
KI-1-3*L	Kidneys	48	48	22	0	0	
ST-44b*R	Stomach	50	50	27	0	0	
ST-44b*L	Stomach	64	64	25	0	0	
LY-1-2*R	Lymphatics	48	47	24	0	1	
UB-66b*R	Urinary Bladder	49	47	23	5	2	

Weakened Balanced Stressed

Name DAVID Date 1-25-00



Dinosaurs

Spelling 17 -Read and write the words

brachiosaurus brachiosaurus

water water


nose nose


ten ten

elephant elephant

heavy heavy

Complete the sentence:

I see a rooster 

I see a duck 

Name Javier Date 4-11-0

trucks sentences

Read and copy these sentences.

The color is red.

The color is red.

The buses go slow.

The buses go slow.


The cars go fast.

The cars go fast.

The truck is big.

The truck is big.



Draw a car.



Name Javi - e - n


Lesson 17

1/10/00



Copyright © 1995 Open Court Publishing Company

Egg / Easter



37

*Lavien
April, 2000
Ember*

T.S. Danison & Co., Inc.

COMPLETELY REVISED AND EXPANDED

Burton Goldberg

Over
600,000
in print!

Alternative Medicine

SECOND
EDITION

The Definitive Guide

- ✓ OVER 400 LEADING PHYSICIANS EXPLAIN THEIR TREATMENTS
- ✓ How to Reverse Over 200 Health Problems
- ✓ 50 Alternative Medicine Therapies Explained
- ✓ Hundreds of Self-Help Tips

"If you are interested in alternative medicine of any kind, and want the security of authenticity in this field, you'd better get Alternative Medicine:

The Definitive Guide."

—DEEPAK CHOPRA, M.D.,
Founder, Chopra Center for Well-Being

on tissue repair, the Electro-Acuscope can be applied to a broad range of clinical conditions such as muscle spasms, migraines, TMJ syndrome, bursitis, arthritis, surgical incisions, sprains and strains, neuralgia, herpes zoster infections (shingles), and bruises.

Steve Center, M.D., of San Diego, California, also uses the Electro-Acuscope to treat local skin infections, chronic fatigue syndrome, and carpal tunnel syndrome, though he says he predominantly uses it for acute and chronic pain, mainly of musculoskeletal origin—automobile accidents, lumbosacral (lower back) sprains, shoulder strains, and sports injuries.¹⁹

"The most impressive results are found in the severe muscle contraction headaches associated with injuries to the muscles of the upper chest, upper thorax, and neck," says George Godfrey, M.D., founding member of the American Trauma Society of the American College of Surgeons and Medical Director of Atlantic Industrial College of Surgeons, in Atlantic City, New Jersey. "At times the headache is gone within 30 seconds." He also uses Electro-Acuscope treatment for chronic problems produced by strains and sprains, carpal tunnel syndrome, whiplash, trauma, skin ulcerations, arthritis, and the palliative care of ruptured disk patients who are either unable or unwilling to undergo surgery.²⁰

Light Beam Generator: The Light Beam Generator (LBG) is about the size of a small suitcase, with one, two, or four hand-held heads attached on cords. It uses extremely low current, cold gas light photons to transfer energy frequency patterns to targeted areas of the lymphatic system, a vital aspect of the immune system. Frequency modulation is accomplished with light, and the LBG is safe for use by lay practitioners. "The Light Beam Generator is a valuable tool for restoring proper functioning of the body and immune defense processes," according to Ilonka Harezi, President of ELF International, the manufacturer. It penetrates deeper than lymphatic massage alone and can be used to increase the effectiveness of manual lymphatic massage.

The LBG works energetically to rebalance the charge of the cells' electromagnetic field. Cells in the lymphatic system can clump together and bond electrically with water to create disease conditions of swelling or abnormal growths. The LBG is able to separate these cells and their accumulated fluids and protein wastes, resulting in the rapid dispersal of swelling, tumor masses, and blockages. By opening sealed and calcified vessels, it stimulates blood circulation, reduces edema, and eliminates waste products from tissues.

"The LBG can be used anywhere on the body where there is a problem," says Robert Jacobs, N.M.D., D.Hom. (Med), of London, England. "Because of its pen-

etration, it can help heal organs deep within the body, as well as skin problems." Dr. Jacobs points out that since healthy cells are in a stable energetic state, there are no adverse effects when the LBG is used in 30-45 minute sessions.

Although ELF International makes no claims about the usefulness of the LBG for treating specific diseases, physicians who use the device (about 1,000) have found it beneficial for edema, pain (especially involving soft tissue and tissue congestion due to injury), sciatica, premenstrual syndrome, dermatological conditions, gastrointestinal inflammation, allergies, arthritis, bursitis, diabetes, lupus, fibromyalgia, respiratory conditions, scarring, cellulite, burns, eczema, fibrocystic disease, breast and prostate cancer, prostate enlargement, headaches, and as an aid in surgical recovery. Improvement is due to the LBG's ability to improve lymph flow, while enhancing delivery of oxygen and nutrients through the bloodstream.

Dr. Jacobs had a patient with a severe case of herpes zoster over his upper chest area. The condition was so painful that the man could not raise one of his arms and had difficulty sleeping. Medical treatments had not been able to help him. Dr. Jacobs gave him one 45-minute treatment with the LBG, after which the man was free of most pain. He could move his arm and the pustules were 60% reduced in size. After one additional treatment with the LBG, he was fully healed.

Rena Davis, M.Sc., of St. Helens, Oregon, uses the LBG in conjunction with a dietary and nutritional program to treat a wide range of conditions. One of her patients was a 60-year-old woman with severe rheumatoid arthritis in all of her joints. Davis treated her with the LBG for 14 months, after which time she was completely healed. Davis also finds the LBG is effective in draining varicose veins and for the fluid retention associated with PMS. Sports clinics use it to reduce the swelling of sports injuries.

In 2002, ELF International introduced the ST-8 device, to be used with the LBG or alone. The ST-8 uses scalar technology coupled with an oxygen-feed and extremely low current, cold gas light photons to transfer energy frequency patterns to cells. This allows cells to correct their electromagnetic charge, which improves lymph flow. Physicians who use the ST-8 report that it is especially useful for conditions where the immune system is compromised.

Bio-Electric Field Enhancement (BEFE): Developed by Terry Skrinjar, of Q-Tech Laboratories, in Toowoomba, Queensland, Australia, the BEFE unit is based upon a new quantum resonance theory called Q-Mechanics that alters an external source of artificial

energy into an energy format that is similar in nature and compatibility to that of the body. Though not specifically designed to diagnose or treat disease, the BEFE unit has received official approval from the Therapeutic Goods Administration (Australia's equivalent of the U.S. Food and Drug Administration) to be marketed as a therapeutic spa and medical device in Australia.

The BEFE unit consists of a power unit that produces a 24-volt direct current to a water array consisting of copper and special steel plates. According to Skrinjar, the arrangement and constituency of the plates and the material of the array, combined with proprietary electronics, creates a specific electromagnetic signature and harmonics, which are emitted into the medium of water. Users of the unit immerse part or all of their body in water (foot bath or in the bath tub) and then activate it for 20-35 minutes. "The BEFE unit uses water because up to 80% of our body is water, and water contains the necessary electrical patterns to adapt a conventional electrical charge to a bio-charge," Skrinjar says. "The bio-charge is the organic electricity your body produces in order to operate itself on a daily basis. A low bio-charge means you are low on energy, and thus your whole body becomes sluggish and lethargic in all its functions, possibly leading to the development of various physical symptoms in the form of aches, pains, and disease conditions. By giving the body a bio-charge boost, some of these symptoms can be alleviated by your own body and your system can eventually be restored to its full function." In effect, according to Skrinjar, the BEFE unit rebalances the body's meridians, realigning its bioenergy field, which explains many of the benefits commonly reported by those who use it.

"The BEFE unit generates a complex waveform signature that interacts with the water on such a base level as to be synergistic with the bioelectric state of the person being treated," Skrinjar explains. For this reason, persons should be treated one at a time, using clean water for each session, as everyone has an individual and unique bio-signature. The generation and absorption of this bio-charge has been shown to increase the potential voltage in the body's cell membranes, thereby enhancing immunity and helping to maintain cellular function, while at the same time helping to eliminate bacterial, viral, and fungal infections. The BEFE bath has also been shown to stimulate the release of body toxins and foreign material, often resulting in discoloration of the water as the release occurs.

Because of the BEFE unit's ability to improve the body's bio-charge, health practitioners and their patients who use the device have reported numerous health benefits. These include increased vitality, revitalized blood, detoxification and neutralization of toxins, pain and stress

relief, faster recovery time from illness or injury, reduced inflammation, improved sleep, reduced fluid retention, improved endocrine and metabolic function, elimination of menstrual pain, dermal rejuvenation, and improved kidney and liver function. It is recommended that the BEFE unit be used only every other day and never for more than 35 minutes at a time, due to its powerful bio-recharging effects. It should also be avoided by women who are pregnant, anyone using prescription drugs, and anyone with an organ transplant or battery operated implant, such as a pacemaker.

The Sound Probe: The Sound Probe emits a pulsed tone of three alternating frequencies that can destroy anything that is not in resonance with the body, such as bacteria, viruses, and fungi. The pad connected to the instrument is placed anywhere on the body where there is a problem or pain. The alternation of the frequencies ensures that the body does not adjust to the frequency, so that the treatment remains beneficial over time. It can also be used in sequence with the LBG. The Sound Probe is used first to kill off bacteria, viruses, or other microorganisms, then the LBG is used to clear the debris from the system.

The Diapulse: The Diapulse uses radio waves to produce short, intense electromagnetic pulses that can penetrate deep into the tissues of the body. The heat energy produced reaches into tissues to improve blood flow, reduce pain, and promote healing. The Diapulse has been used successfully to reduce edema and inflammation following surgery and may be helpful in functional recovery from spinal cord injuries, according to Gary Emerson, D.C., of Santa Ana, California.

Cymatic Instruments: In addition to the electroacupuncture biofeedback devices discussed earlier, there are also therapeutic cymatic devices, in which a sound transducer replaces the electrodes of the electroacupuncture biofeedback devices. This allows recording of the emitted sound patterns associated with different body parts. The machines can be used for diagnosis as well as treatment. According to Peter Guy Manners, M.D., D.O., Ph.D., of Bretforton, England, each organ, tissue, and molecule has its own harmonic signal. These signals are encoded into the cymatic device, which can be used to deliver to a particular body part a frequency pattern associated with its healthy state, restoring that particular body part to health.



See Qigong and Tai Chi, Sound Therapy.

<NERVE - MONITOR>

Test Time	2:35:36 PM	Test Date	8/18/02
		Name	Mark Dubovay
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> Comment </div>			
Monitoring of the ANS status based on Heart Rate Variability analysis			

